

Safety Data Sheet

FLICK OVEN



Safety Data Sheet dated 19/6/2015, version 1
In compliance with Regulation (EC) 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: FLICK OVEN

Product type: Caustic cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Washing and cleaning products (including solvent based products)

Uses advised against:

Not available

1.3. Details of the supplier of the safety data sheet

Supplier:

TURCO ITALIANA SpA, Via Artigianale, 29 - 25010 Montirone (Brescia) - Italy - tel. ++39-030-267443 - fax. ++39-030-2677137 e-mail:info@turco.it

Competent person responsible for the safety data sheet:

info@turco.it

1.4. Emergency telephone number

TURCO ITALIANA SpA, - Italy - tel. ++39-030-267443 - fax. ++39-030-2677137 e-mail:info@turco.it

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

Danger, Eye Dam. 1, Causes serious eye damage.

Criteria of Directive 99/45 / EC as amended:

Properties / Symbols:



C Corrosive

R Phrases:

R35 Causes severe burns.

Adverse physicochemical, human health and environmental effects:

The product is highly corrosive and, if brought into contact with the skin, causes serious burning, with the rapid destruction of the entire thickness of skin tissue.

2.2. Label elements

EC regulation criteria 1272/2008 (CLP)

Symbols:



Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear protective gloves/clothing and eye/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Contents:

Potassium hydroxide

Safety Data Sheet

FLICK OVEN

Alcohol (C9-11) polyglycoether

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

10-20 % Potassium hydroxide

REACH N°: 01-2119487136-33-XXXX, Index number: 019-002-00-8, CAS: 1310-58-3, EC: 215-181-3

Xn,C; R22-35

- ◇ 2.16/1 Met. Corr. 1 H290
- ◇ 3.2/1A Skin Corr. 1A H314
- ◇ 3.1/4/Oral Acute Tox. 4 H302

1-5 % Sodium Xylenesulphonate

REACH N°: 01-2119513350-56-0003, CAS: 1300-72-7, EC: 215-090-9

Xi; R36/38

- ◇ 3.3/2 Eye Irrit. 2 H319
- ◇ 3.2/2 Skin Irrit. 2 H315

1-5 % Alcohol (C9-11) polyglycoether

CAS: 68439-46-3

Xn, Xi; R22-41

- ◇ 3.1/4/Oral Acute Tox. 4 H302
- ◇ 3.3/1 Eye Dam. 1 H318

0.1-1.0 % Alkylamine oxide

REACH N°: 01-2119490061-47, CAS: 61788-90-7, EC: 931-292-6

Xn, Xi, N; R22-38-41-50

- ◇ 3.1/4/Oral Acute Tox. 4 H302
- ◇ 3.2/2 Skin Irrit. 2 H315
- ◇ 3.3/1 Eye Dam. 1 H318
- ◇ 4.1/A1 Aquatic Acute 1 H400
- ◇ 4.1/C2 Aquatic Chronic 2 H411

Declaration of ingredients according to Detergent Regulation 648/2004:

non-ionic surfactants

< 5 %

For the complete text of the hazard and risk phrases refer to paragraph 16

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Safety Data Sheet

FLICK OVEN

Protect uninjured eye.
In case of Ingestion:
Do NOT induce vomiting.
Give nothing to eat or drink.
In case of Inhalation:
Remove casualty to fresh air and keep warm and at rest.
If breathing is irregular or stopped, administer artificial respiration.
In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Safety Data Sheet

FLICK OVEN

For more information see Technical data bulletin
None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Contained substances

Potassium hydroxide - CAS: 1310-58-3

OEL - LTE mg/m³(8h): 2 - STE mg/m³(15min): 2 - STE ppm: 0.87 - Behaviour: Binding

ACGIH - STE mg/m³: C 2 - Critical effects: C Skin, respiratory and eye irritation.

DNEL Exposure Limit Values

Potassium hydroxide - CAS: 1310-58-3

Worker Professional: 1 mg/m³ - Consumer: 1 - U.M.: mg/m³ - Exposure: Human Inhalation -
Frequency: Long Term, local effects

Sodium Xylenesulphonate - CAS: 1300-72-7

Consumer: 3.8 - U.M.: mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic
effects

Worker Professional: 53.6 mg/m³ - Consumer: 13.2 - U.M.: mg/m³ - Exposure: Human
Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 7.6 mg/kg - Consumer: 3.8 - U.M.: mg/kg - Exposure: Human Dermal -
Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Sodium Xylenesulphonate - CAS: 1300-72-7

Target: Fresh Water - Value: 0.23 mg/l

Target: Occasional issue - Value: 2.3 mg/l

Target: Sewerage treatment plants - Value: 100 mg/l

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance and colour: Yellow clear liquid

Odour: Tensioattivo

Odour threshold: n.av. mg/m³

pH: 13

Melting point / freezing point: initial 0 °C

Initial boiling point and boiling range: initial 100 °C

Solid/gas flammability: na

Upper/lower flammability or explosive limits: na % v/v

Vapour density (air=1): > 1

Flash point: none °C

Evaporation rate: na

Vapour pressure: 3.2 kPa

Relative density: 1.1 g/ml

Solubility in water: complete

Solubility in oil: na

Partition coefficient (n-octanol/water): n.av.

Auto-ignition temperature: none °C

Decomposition temperature: n.av. °C

Safety Data Sheet

FLICK OVEN

Viscosity:	n.av. mPa.s
Explosive properties:	not explosive
Oxidizing properties:	not oxidant
9.2. Other information	
Miscibility:	complete in water
Fat Solubility:	na
Conductivity:	Not Relevant
Substance Groups relevant properties:	n.av.
SECTION 10: Stability and reactivity	
10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	It may generate flammable gases on contact with halogenated organic substances, and elementary metals.
10.4. Conditions to avoid	Stable under normal conditions.
10.5. Incompatible materials	None in particular.
10.6. Hazardous decomposition products	None.
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	Toxicological information of the mixture: Not applicable
Toxicological information of the main substances found in the mixture:	
Potassium hydroxide - CAS: 1310-58-3	
Type: a) acute toxicity:	
Test: LD50 - Route: Oral - Species: Rat - Op.: = - Value: 333 - U.M.: mg/kg	
Sodium Xylenesulphonate - CAS: 1300-72-7	
Type: a) acute toxicity:	
Test: LD50 - Route: Oral - Species: Rat - Op.: > - Value: 7200 - U.M.: mg/kg	
Test: LD50 - Route: Skin - Species: Rabbit - Op.: > - Value: 2000 - U.M.: mg/kg	
Test: LC50 - Route: Inhalation - Species: Rat - Op.: > - Value: 6.41 - U.M.: mg/l - Duration: 4 hours -	
Notes: vapours	
Alcohol (C9-11) polyglycoether - CAS: 68439-46-3	
Type: a) acute toxicity:	
Test: LD50 - Route: Oral - Species: Rat - Op.: = - Value: 2000 - U.M.: mg/kg	
Test: LD50 - Route: Skin - Species: Rabbit - Op.: > - Value: 2000 - U.M.: mg/kg	
Test: LC50 - Route: Inhalation - Op.: > - Value: 5 - U.M.: mg/l	
Alkylamine oxide - CAS: 61788-90-7	
Type: a) acute toxicity:	
Test: LD50 - Route: Oral - Species: Rat - Op.: = - Value: 1064 - U.M.: mg/kg	
Test: LD50 - Route: Skin - Species: Rat - Op.: > - Value: 2000 - U.M.: mg/kg	
Type: b) skin corrosion/irritation:	
Test: Skin Irritant - Route: Skin - Species: Rabbit - Op.: = - Value: 1.67 - Duration: 24 hours	
Test: Skin Irritant - Route: Skin - Species: Rabbit - Op.: = - Value: 4 - Duration: 72 hours	
Type: c) serious eye damage/irritation:	
Test: Eye Irritant - Route: EYES - Species: Rabbit - Op.: Positive - Notes: Severe irritant	
Type: d) respiratory or skin sensitisation:	
Test: Skin Sensitization - Route: Skin - Species: Guinea-pig - Op.: Negative	
Type: g) reproductive toxicity:	
Test: Reproductive Toxicity - Route: Oral - Species: Rat - Op.: = - Value: 40 - U.M.: mg/kg	
If not differently specified, the information required in Regulation 2015/830/EC listed below must be considered as N.AV.:	
a) acute toxicity;	
b) skin corrosion/irritation;	

Safety Data Sheet

FLICK OVEN

- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Based on the information available it is not expected that this product may cause any adverse environmental effect when use instructions and disposal recommendations are followed.

Adopt good working practices, so that the product is not released into the environment.

List of substances hazardous to the environment and eco-toxicological information available:

Potassium hydroxide - CAS: 1310-58-3

a) Aquatic acute toxicity:

LC50 Fish = 80 mg/l 96 *Gambusia affinis*

LC50 Bacteria = 80 mg/l 24 Mosquito

Sodium Xylenesulphonate - CAS: 1300-72-7

a) Aquatic acute toxicity:

LC50 Fish = 400 mg/l 96 *Pimephales promelas*

LC50 Fish = 1000 mg/l 96 *Oncorhynchus mykiss*

EC50 *Daphnia* = 1000 mg/l 48 *Daphnia magna*

EC50 Algae > 230 mg/l 96 *Selenastrum capricornutum*

b) Aquatic chronic toxicity:

NOEC = 31 mg/l 96 *Selenastrum capricornutum*

Alcohol (C9-11) polyglycoether - CAS: 68439-46-3

a) Aquatic acute toxicity:

EC50 Fish = 5 mg/l 96

EC50 *Daphnia* = 5.3 mg/l 48

Alkylamine oxide - CAS: 61788-90-7

a) Aquatic acute toxicity:

LC50 Fish = 3.46 mg/l 96

EC50 *Daphnia* = 3.1 mg/l 48

EC50 Algae = 0.266 mg/l 72

b) Aquatic chronic toxicity:

NOEC Algae = 0.067 mg/l 72

NOEC *Daphnia* = 0.7 mg/l 504

12.2. Persistence and degradability

Potassium hydroxide - CAS: 1310-58-3

Biodegradability: Non-readily biodegradable - Test: Not applicable - Duration: Not applicable - %:

Not applicable - Notes: Not applicable

Sodium Xylenesulphonate - CAS: 1300-72-7

Biodegradability: Readily biodegradable - Test: CO₂ production - Duration: Not applicable - %: Not applicable - Notes: Not applicable

Alkylamine oxide - CAS: 61788-90-7

Biodegradability: Readily biodegradable - Test: Not applicable - Duration: Not applicable - %: Not applicable - Notes: Not applicable

Regulation (EC) No. 648/2004 on Detergents and amendments:

Surfactant(s) contained in this preparation comply with biodegradability criteria as defined in (EC) regulations on detergents.

12.3. Bioaccumulative potential

Sodium Xylenesulphonate - CAS: 1300-72-7

Bioaccumulation: Not bioaccumulative - Test: Kow - Partition coefficient -3.12 - Duration: Not applicable - Notes: Not applicable

Bioaccumulation: Not bioaccumulative - Test: BCF - Bioconcentration factor Not applicable - Duration: Not applicable - Notes: Not applicable

12.4. Mobility in soil

Not applicable

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

FLICK OVEN

vPvB Substances: None - PBT Substances: None
12.6. Other adverse effects
None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product and its residue:

Do not dispose in the canals of wastewater, waterways and soil.

The codes indicating the type of waste are considered based on the recommendations and scheduled use of this product. Different codes may be assigned based on the end user's use and the characteristics of the disposal.

Waste code CER/EWC (2000/532/CE), attributable to the product as:

07 06 01* Aqueous solution of washing and mother liquors

H8 Corrosive

Any remaining product should be disposed of with the material.

Containers/contaminated packaging

Containers, even completely empty, must not be disposed in the environment. The packagings which can not be cleaned should be disposed of as the material.

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION



14.1 UN number:

ADR-UN Number: 1760

IATA-UN Number: 1760

IMDG-UN Number: 1760

14.2. UN proper shipping name

ADR-Shipping Name: CORROSIVE LIQUID, N.O.S. (potassium hydroxide, Alkyl betaine)

IATA-Shipping Name: CORROSIVE LIQUID, N.O.S. (potassium hydroxide, Alkyl betaine)

IMDG-Shipping Name: CORROSIVE LIQUID, N.O.S. (potassium hydroxide, Alkyl betaine)

14.3. Transport hazard class(es)

ADR-Class: 8

ADR-Label: 8

ADR - Hazard identification number: 80

IATA-Class: 8

IATA-Label: 8

IMDG-Class: 8

14.4. Packing group

ADR-Packing Group: II

IATA-Packing group: II

IMDG-Packing group: II

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

ADR-Subsidiary risks: -

ADR-S.P.: 274

ADR-Tunnel Restriction Code: (E)

IATA-Passenger Aircraft: 851

IATA-Subsidiary risks: -

IATA-Cargo Aircraft: 855

IATA-S.P.: A3 A803

IATA-ERG: 8L

IMDG-EmS: F-A , S-B

Safety Data Sheet

FLICK OVEN

IMDG-Subsidiary risks: -
IMDG-Storage category: Category B
IMDG-Storage notes: Clear of living quarters.
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
nd

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

1999/13/EC (VOC directive)

Volatile Organic compounds - VOCs = 2.00 %

Volatile Organic compounds - VOCs = 22.00 g/l

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Organic Carbon - C = 0.01

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):

Not applicable

15.2. Chemical safety assessment

Not available

SECTION 16: Other information

Full text of phrases referred to in Section 3:

R22 Harmful if swallowed.

R35 Causes severe burns.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

This safety data sheet has been completely updated in compliance to Regulation 2015/830.

This document was prepared by a competent person who has received appropriate training.

This MSDS cancels and replaces any preceding release.

Where applicable, refer to the following regulatory provisions :

Council Directive 67/548/EEC (Classification, packaging and labelling of dangerous substances) and subsequent amendments; Regulation (EC) n°1272/2008; Regulation (EC) N. 790/2009 (annex VI), Regulation (EC) n. 1907/2006 (REACH).

Commission Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparation) and subsequent amendments; Commission Directive n. 2006/8/CE.

Regulation (EC) nr 648/2004 and CE N. 907/2006 (Detergents).

Directive 2003/105/EC ('Activities linked to risks of serious accidents') and subsequent amendments.

Directive 91/271/EEC and 91/676/CEE (protection of waters) and subsequent amendments.

Directive 2013/10/EU (aerosols) amending Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) n° 1272/2008 on classification, labelling and packaging of substances and mixtures and subsequent amendments.

Regulation (EC) No 1223/2009 on cosmetic products and subsequent amendments.

Regulation (EU) No 126/2013 amending Annex XVII to Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and subsequent amendments. Regulation (EC) N. 304/2003 and subsequent amendments. Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products and subsequent amendments.

Directives 91/156/CEE, 91/689/CEE, 94/62/CE (Disposal of waste) and subsequent amendments.

Safety Data Sheet

FLICK OVEN

The European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), current edition.

Regulations IATA/ICAO = Dangerous Goods Regulations by air, current edition.

RID = Regulations concerning the International Carriage of Dangerous Goods by Rail, current edition.

IMDG Code = International Maritime Dangerous Goods Code produced by the International Maritime Organization (IMO), current edition.

Main bibliographic sources:

The ISS National Inventory of Chemical Substances (INSC)

ESIS: European chemical Substances Information System and Environmental hazard classification.

Occupational exposure limit values (Commission Directives 2000/39/EC and 2006/15/CE)

ACGIH - TLV's for 2010

NIOSH - Registry of toxic effects of chemical substances (1983)

Material Safety Data Sheets of chemicals, REACH database

Material Safety Data Sheet and Technical Data of raw material as by Supplier.

Abbreviations and acronyms:

TLV-TWA = Threshold Limit Value- time-weighted average, 8-hour workday, 40-hour workweek;

TLV-STEL-15 min = Threshold Limit Values - Short Term Exposure Limit; TLV-C = Ceiling exposure limit;

Notes: IBE= Biological Exposure Indices; SEN= sensitizer; Skin= Can be absorbed through the skin.

Carcinogenicity categories: A1 / A2 = confirmed / suspected human carcinogen; A3 = Animal carcinogen;

A4 / A5 = Not Classifiable/not suspected as a human carcinogen. ACGIH = American Conference on

Governmental Industrial Hygienists. OEL =Occupational Exposure Limit. VLPE = Occupational Exposure Limit Values. LTE =long term exposure, STE=short term exposure.

n.av.= Not Available, n.a. = not applicable; LD50=lethal dose (solids and liquids), LC50=lethal

concentration (gases) that will kill 50% of the test animals; ADR= European Agreement concerning the International Carriage of Dangerous Goods by Road. Regulations IATA/ICAO = Dangerous Goods

Regulations by air, current edition.

RID = Regulations concerning the International Carriage of Dangerous Goods by Rail, current edition.

IMDG Code = International Maritime Dangerous Goods Code produced by the International Maritime Organization (IMO), current edition.

PBT = Persistent, Bioaccumulative and Toxic substances. ; vPvB = very Persistent and very

Bioaccumulative substances; CMR = Carcinogenic, mutagenic or reproduction toxic substances.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.